

**EKOTEKS LABORATUVAR ve GÖZETİM
HİZMETLERİ A.Ş.**

Esenyurt Firuzköy Bulvarı No:29 34325 Avcılar
İstanbul/ TÜRKİYE

TEST REPORT
DENEY RAPORU

22032659-
ing
12-22

Customer name:

LEBA SANAYİ ÜRÜNLERİ İTHALAT İHRACAT VE PAZARLAMA A.Ş.

Address:

İNÖNÜ MAH. GEBZE PLASTİKÇİLER OSB.CUMHURİYET CD.NO:5
GEBZE/KOCAELİ

Buyer name:

-

Contact Person:

ALİ KEMAL KAMER

Order No:

D.O.A

Article No:

-

Name and identity of test item:

One sample of liquid chemical

The date of receipt of test item:

02.12.2022

**Re-submitted/re-confirmation
date:**

-

Date of test:

02.12.2022-07.12.2022

Remarks:

-

Sampling:

The results given in this report belong to the received sample by vendor.

End-Use:

-

Care Label:

-

Number of pages of the report:

3



Date
07.12.2022

Customer Representative
Servin YURTSEVEN

Head of Testing Laboratory
Sevim A. RAZAK
07.12.2022


This report shall not be reproduced other than in full except with the permission of the laboratory.
Testing reports without signature and seal are not valid.

**EKOTEKS LABORATUVAR ve GÖZETİM
HİZMETLERİ A.Ş**

22032659- ing 12-22

REQUIRED TESTS	EVALUATION	COMMENTS
ECOLOGICAL TESTS		
Determination of Phthalates	P	
<p>P: Pass F: Fail R: Refer to retailer technologist. These tests results were evaluated according to Eco-Textile limit values. This test method is not suitable for this type of material. Test was performed due to vendor's request</p>		

REMARK: Original samples are kept for 3 months and all technical records are kept for 5 years unless otherwise specified. If requested, measurement uncertainty will be reported. But unless otherwise specified, measurement uncertainty is not considered while stating compliance with specification or limit values. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor $k=2$, providing a level of confidence of approximately 95 %. The declaration of conformity was given in accordance with the Simple Acceptance Decision Rule. (without considering the level of confidence and measurement uncertainty, evaluation of suitability or non-conformity based on whether the test result obtained is only within the specified limits) Tests marked (*) in this report are not included in the accreditation schedule.



This report shall not be reproduced other than in full except with the permission of the laboratory.
Testing reports without signature and seal are not valid.

**EKOTEKS LABORATUVAR ve GÖZETİM
HİZMETLERİ A.Ş**

22032659-
ing
12-22

TEST RESULTS

DETERMINATION OF PHTHALATES; CPSC-CH-C1001-09.4:2018(*)

Test sample is extracted in suitable organic solvent in extraction device.
The extract is analyzed by GC-MS and result is given.

	Cas No:	RESULT	REQUIREMENT
DMP/ Dimethylphthalate	(131-11-3)	N.D. ⁽¹⁾	
DEP/ Di-ethylphthalate	(84-66-2)	N.D. ⁽¹⁾	
DIBP/ Bis – iso –butyl phthalate	(84-69-5)	N.D. ⁽¹⁾	
DBP/ Dibutylphthalate	(84-74-2)	N.D. ⁽¹⁾	
DMEP/ Di-(2-methoxyethyl) phthalate	(117-82-8)	N.D. ⁽¹⁾	
DPP/ Di-pentylphthalate (n-, iso-, or mixed)	(131-18-0) / (605-50-5) (776297-69-9) / (84777-06-0)	N.D. ⁽¹⁾	
DHP/ Di-n-hexyl phthalate	(84-75-3)	N.D. ⁽¹⁾	
BBP/ Butylbenzylphthalate	(85-68-7)	N.D. ⁽¹⁾	
DIHP/ Di-C6-8-branched alkylphthalates	(71888-89-6)	N.D. ⁽¹⁾	
DCHP/ Di-cyclohexylphthalate	(84-61-7)	N.D. ⁽¹⁾	
DEHP/ Di-(2-ethylhexyl) phthalate	(117-81-7)	N.D. ⁽¹⁾	
DNOP/ Di-n-octylphthalate	(117-84-0)	N.D. ⁽¹⁾	
DINP/ Di-iso-nonylphthalate	(28553-12-0)/ (68515-48-0)	N.D. ⁽¹⁾	
DIDP/ Di-isodecylphthalate	(26761-40-0)/ (68515-49-1)	N.D. ⁽¹⁾	
DHNUP/Di-C7-11-branched alkylphthalates	(68515-42-4)	N.D. ⁽¹⁾	
DHxP/ Di-hexylphthalates, branched and linear	(68515-50-4)	N.D. ⁽¹⁾	
DIHxP/ Di-iso-hexylphthalate	(71850-09-4)	N.D. ⁽¹⁾	
DIOP/ Di-iso-octylphthalate	(27554-26-3)	N.D. ⁽¹⁾	
DPrP/ Di-n-propylphthalate	(131-16-8)	N.D. ⁽¹⁾	
DNP/ Di-n-nonylphthalate	(84-76-4)	N.D. ⁽¹⁾	
1,2-Benzenedicarboxylic acid, di-C6-10 alkyl esters	(68515-51-5)	N.D. ⁽¹⁾	
1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters	(68648-93-1)	N.D. ⁽¹⁾	
Total concentration		N.D. ⁽¹⁾	< 0.1(1000) mg/kg

N.D ⁽¹⁾: Not detected

Total uncertainty: 18,20%