



Page 1 of 5

REPORT NUMBER : TURT190050329

APPLICANT NAME : Leba San. Ürünl. İth. ve İhr. Paz. A.Ş.

GEPOSB Cumhuriyet Cad. 4053 Ada 20 Parsel No:5 ADDRESS :

Gebze/Kocaeli

Fax:0262 751 23 46Gebze Kocaeli / TÜRKİYE

TEL:0262 751 23 48 FAX:0262 751 23 46

Attention : Ali Kemal Kamer,İlke Günşili

(alikemal@leba.com.tr;ilke@leba.com.tr)

SAMPLE DESCRIPTION : One sample of DOTP Liquid item

19 March ,2019 (09:19:00) DATE IN :

DATE OUT : 22 March ,2019

REOUEST. RoHS Test was performed according to 2015/863/EU Directive.

RESULTS: See attachment

		CONCLUSION
PART	DESCRIPTION	
Sample 1	Sample	Pass

Testing reports without signature are not valid
This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms. Testing reports without signature are not valid. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.

Merve AYDOGAN

Customer Care Executive

Zeynep AKIN

Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL

Phone: +90 212 496 46 46 Fax: +90 212 452 80 55

e-mail: intertekcg.turkiye@intertek.com http://www.intertek-turkey.com

190050329





REPORT : TURT190050329 Page 2 of 5

(A) TEST RESULT SUMMARY ACCORDING TO IEC 62321 Electrotechnical Products-Determination of Levels of Six Regulated Substances

TESTING ITEM	RESULT
	Sample 1
	Part
Cadmium (Cd) Content	ND
Chromium VI (Cr+6) Content (ppm) (for non- metal)	ND
Chromium VI (Cr+6) Content (µg/cm²) (for metal)	NA
Lead (Pb) Content	ND
Mercury (Hg) Content	ND
Flame Retardants	
Polybrominated Biphenyls (PBB)	NA
Monobromobiphenyl (MonoBB)	NA
Dibromobiphenyl (DiBB)	NA
Tribromobiphenyl (TriBB)	NA
Tetrabromobiphenyl (TetraBB)	NA
Pentabromobiphenyl (PentaBB)	NA
Hexabromobiphenyl (HexaBB)	NA
Heptabromobiphenyl (HeptaBB)	NA
Octabromobiphenyl (OctaBB)	NA
Nonabromobiphenyl (NonaBB)	NA
Decabromobiphenyl (DecaBB)	NA
Polybrominated Diphenyl Ethers (PBDE)	NA
Monobromodiphenyl Ether (MonoBDE)	NA
Dibromodiphenyl Ether (DiBDE)	NA
Tribromodiphenyl Ether (TriBDE)	NA
Tetrabromodiphenyl Ether (TetraBDE)	NA
Pentabromodiphenyl Ether (PentaBDE)	NA
Hexabromodiphenyl Ether (HexaBDE)	NA
Heptabromodiphenyl Ether (HeptaBDE)	NA
Octabromodiphenyl Ether (OctaBDE)	NA
Nonabromodiphenyl Ether (NonaBDE)	NA
Decabromodiphenyl Ether (DecaBDE)	NA





REPORT : TURT190050329 Page 3 of 5

TESTING ITEM	RESULT
	Sample 1
	Part
Phthalates	
Dibutyl phthalate (DBP) (84-74-2)	ND
Di(2-ethylhexyl) phthalate (DEHP)(117-81-7)	ND
Benzyl butyl phthalate (BBP) (85-68-7)	ND
Diisobutyl Phthalate (DIBP) (84-69-5)	ND





REPORT : TURT190050329

Page 4 of 5

SUBSTANCE	LIMITS		
Cadmium (Cd) Content	0.01 % (100 ppm)		
Chromium VI (Cr+6) Content (ppm) (for non metal)	0.1 % (1000 ppm)		
Chromium VI	<u>Colorimetric</u> <u>result</u>	<u>Qualitative</u> <u>Result</u>	
(Cr+6) Content (µg/cm²) (for metal)	< 0.10 $\mu g/cm^2$ \geq 0.10 $\mu g/cm^2$ and \leq 0.13 $\mu g/cm^2$	Negative Inconclusive	
Lead (Pb) Content	> 0.13 µg/cm ²	Positive	
Mercury (Hg) Content	0.1 % (1000 ppm)		
Flame Retardants	0.1 % (1000 ppm)		
Dibutyl Phthalate (DBP)	0.1 % (1000 ppm)		
Diethyl Hexyl Phthalate (DEHP)	0.1 % (1000 ppm)		
Benzyl Butyl Phthalate (BBP)	0.1 % (1000 ppm)		
Diisobutyl Phthalate (DIBP)	0.1 % (1000 ppm)		





REPORT : TURT190050329 Page 5 of 5

(C) TEST METHOD :

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd)Content	With reference to IEC 62321-5:2013,by microwave or acid digestion and determined by ICP-OES	Plastic : 2.5 ppm, Metal : 5 ppm, Seramic : 1.25 ppm
Lead (Pb)Content	With reference to IEC 62321-5:2013, by microwave or acid digestion and determined by ICP-OES	Plastic : 5 ppm, Metal : 10 ppm, Seramic : 2.5 ppm
Mercury (Hg)Content	With reference to IEC 62321-4:2017, by microwave or acid digestion and determined by ICP-OES	Plastic : 5 ppm, Metal : 10 ppm, Seramic : 2.5 ppm
Chromium VI (Cr6+) (For non-metal)	With reference to IEC 62321-7-2:2017, by alkaline digestion and determined by UV-VIS spectrophotometer	Plastic: 25 ppm (PVC based) /8.33 ppm (other), Seramic: 8.33 ppm
Chromium VI (Cr6+) (For metal)	With reference to IEC 62321-7-1:2015 ,by boiling water extraction and determined by UV-VIS spectrophotometer	0.1 mg/kg with 50 cm ² (IN TESTING SOLUTION)
PBBs/PBDEs	With reference to IEC 62321-6:2015, by solvent extraction and determined by GC/MS and HPLC	5 ppm
Phthalates	With reference to IEC 62321-8 (111/321/CD), by solvent extraction and determined by GC-MS.	50 ppm





Page 1 of 5

REPORT NUMBER : TURT190050332

APPLICANT NAME : Leba San. Ürünl. İth. ve İhr. Paz. A.Ş.

GEPOSB Cumhuriyet Cad. 4053 Ada 20 Parsel No:5 ADDRESS :

Gebze/Kocaeli

Fax:0262 751 23 46Gebze Kocaeli / TÜRKİYE

TEL:0262 751 23 48 FAX:0262 751 23 46

Attention : Ali Kemal Kamer (alikemal@leba.com.tr)

SAMPLE DESCRIPTION: One sample of DOA Liquid item

19 March ,2019 (09:20:00) DATE IN :

22 March ,2019 DATE OUT :

REQUEST. RoHS Test was performed according to 2015/863/EU Directive.

RESULTS: See attachment

		CONCLUSION
PART	DESCRIPTION	
Sample 1	Sample	Pass

Testing reports without signature are not valid

Testing reports without signature are not valid
This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms. Testing reports without signature are not valid. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory. are not included in the TÜRKAK accreditation schedule for this laboratory.

Merve AYDOGAN **Customer Care Executive**

Zeynep AKIN Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL

Phone: +90 212 496 46 46 Fax: +90 212 452 80 55

e-mail: intertekcg.turkiye@intertek.com http://www.intertek-turkey.com

190050332





REPORT : TURT190050332 Page 2 of 5

(A) TEST RESULT SUMMARY ACCORDING TO IEC 62321 Electrotechnical Products-Determination of Levels of Six Regulated Substances

TESTING ITEM	RESULT
	Sample 1
	Part
Cadmium (Cd) Content	ND
Chromium VI (Cr+6) Content (ppm) (for non- metal)	ND
Chromium VI (Cr+6) Content (µg/cm²) (for metal)	NA
Lead (Pb) Content	ND
Mercury (Hg) Content	ND
Flame Retardants	
Polybrominated Biphenyls (PBB)	NA
Monobromobiphenyl (MonoBB)	NA
Dibromobiphenyl (DiBB)	NA
Tribromobiphenyl (TriBB)	NA
Tetrabromobiphenyl (TetraBB)	NA
Pentabromobiphenyl (PentaBB)	NA
Hexabromobiphenyl (HexaBB)	NA
Heptabromobiphenyl (HeptaBB)	NA
Octabromobiphenyl (OctaBB)	NA
Nonabromobiphenyl (NonaBB)	NA
Decabromobiphenyl (DecaBB)	NA
Polybrominated Diphenyl Ethers (PBDE)	NA
Monobromodiphenyl Ether (MonoBDE)	NA
Dibromodiphenyl Ether (DiBDE)	NA
Tribromodiphenyl Ether (TriBDE)	NA
Tetrabromodiphenyl Ether (TetraBDE)	NA
Pentabromodiphenyl Ether (PentaBDE)	NA
Hexabromodiphenyl Ether (HexaBDE)	NA
Heptabromodiphenyl Ether (HeptaBDE)	NA
Octabromodiphenyl Ether (OctaBDE)	NA
Nonabromodiphenyl Ether (NonaBDE)	NA
Decabromodiphenyl Ether (DecaBDE)	NA





REPORT : TURT190050332 Page 3 of 5

TESTING ITEM	RESULT
	Sample 1
	Part
Phthalates	
Dibutyl phthalate (DBP) (84-74-2)	ND
Di(2-ethylhexyl) phthalate (DEHP)(117-81-7)	ND
Benzyl butyl phthalate (BBP) (85-68-7)	ND
Diisobutyl Phthalate (DIBP) (84-69-5)	ND





REPORT : TURT190050332

Page 4 of 5

SUBSTANCE	LIMITS		
Cadmium (Cd) Content	0.01 % (100 ppm)		
Chromium VI (Cr+6) Content (ppm) (for non metal)	0.1 % (1000 ppm)		
Chromium VI	<u>Colorimetric</u> <u>result</u>	Qualitative Result	
(Cr+6) Content (µg/cm²) (for metal)	< 0.10 µg/cm ²	Negative	
	\geq 0.10 µg/cm ² and \leq 0.13 µg/cm ²	Inconclusive	
	> 0.13 µg/cm²	Positive	
Lead (Pb) Content	0.1 % (1000 ppm)	•	
Mercury (Hg) Content	0.1 % (1000 ppm)		
Flame Retardants	0.1 % (1000 ppm)		
Dibutyl Phthalate (DBP)	0.1 % (1000 ppm)		
Diethyl Hexyl Phthalate (DEHP)	0.1 % (1000 ppm)		
Benzyl Butyl Phthalate (BBP)	0.1 % (1000 ppm)		
Diisobutyl Phthalate (DIBP)	0.1 % (1000 ppm)		





REPORT : TURT190050332 Page 5 of 5

(C) TEST METHOD :

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd)Content	With reference to IEC 62321-5:2013, by microwave or acid digestion and determined by ICP-OES	Plastic : 2.5 ppm, Metal : 5 ppm, Seramic : 1.25 ppm
Lead (Pb)Content	With reference to IEC 62321-5:2013, by microwave or acid digestion and determined by ICP-OES	Plastic : 5 ppm, Metal : 10 ppm, Seramic : 2.5 ppm
Mercury (Hg)Content	With reference to IEC 62321-4:2017, by microwave or acid digestion and determined by ICP-OES	Plastic : 5 ppm, Metal : 10 ppm, Seramic : 2.5 ppm
Chromium VI (Cr6+) (For non-metal)	With reference to IEC 62321-7-2:2017, by alkaline digestion and determined by UV-VIS spectrophotometer	Plastic: 25 ppm (PVC based) /8.33 ppm (other), Seramic: 8.33 ppm
Chromium VI (Cr6+) (For metal)	With reference to IEC 62321-7-1:2015, by boiling water extraction and determined by UV-VIS spectrophotometer	0.1 mg/kg with 50 cm ² (IN TESTING SOLUTION)
PBBs/PBDEs	With reference to IEC 62321-6:2015, by solvent extraction and determined by GC/MS and HPLC	5 ppm
Phthalates	With reference to IEC 62321-8 (111/321/CD), by solvent extraction and determined by GC-MS.	50 ppm





Page 1 of 5

REPORT NUMBER: TURT190100427

APPLICANT NAME: Leba San. Ürünl. İth. ve İhr. Paz. A.Ş.

ADDRESS: GEPOSB Cumhuriyet Cad. 4053 Ada 20 Parsel No:5

Gebze/Kocaeli

Fax:0262 751 23 46Gebze Kocaeli / TÜRKİYE

TEL:0262 751 23 48 FAX:0262 751 23 46

Attention : İlke Sayan (ilke@leba.com.tr)

SAMPLE DESCRIPTION: One sample of TOTM-Transparent liquid item

DATE IN: 29 May ,2019 (12:00:00)

DATE OUT : 10 June ,2019

REQUEST. RoHS Test was performed according to 2015/863/EU Directive.

RESULTS: See attachment

		CONCLUSION
PART	DESCRIPTION	
Sample 1	Sample	Pass

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.

Merve AYDOGAN

Customer Care Executive

Zeynep AKIN

Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL

Phone: +90 212 496 46 46 Fax: +90 212 452 80 55

e-mail: intertekcg.turkiye@intertek.com http://www.intertek-turkey.com





Page 2 of 5

TEST REPORT

REPORT : TURT190100427

(A) TEST RESULT SUMMARY ACCORDING TO IEC 62321 Electrotechnical Products-Determination of Levels of Six Regulated Substances

TESTING ITEM	RESULT
	Sample 1
	Part
Cadmium (Cd) Content	NR
Chromium VI (Cr+6) Content (ppm) (for non- metal)	NR
Chromium VI (Cr+6) Content (µg/cm²) (for metal)	NA
Lead (Pb) Content	NR
Mercury (Hg) Content	NR
Flame Retardants	
Polybrominated Biphenyls (PBB)	NA
Monobromobiphenyl (MonoBB)	NA
Dibromobiphenyl (DiBB)	NA
Tribromobiphenyl (TriBB)	NA
Tetrabromobiphenyl (TetraBB)	NA
Pentabromobiphenyl (PentaBB)	NA
Hexabromobiphenyl (HexaBB)	NA
Heptabromobiphenyl (HeptaBB)	NA
Octabromobiphenyl (OctaBB)	NA
Nonabromobiphenyl (NonaBB)	NA
Decabromobiphenyl (DecaBB)	NA
Polybrominated Diphenyl Ethers (PBDE)	NA
Monobromodiphenyl Ether (MonoBDE)	NA
Dibromodiphenyl Ether (DiBDE)	NA
Tribromodiphenyl Ether (TriBDE)	NA
Tetrabromodiphenyl Ether (TetraBDE)	NA
Pentabromodiphenyl Ether (PentaBDE)	NA
Hexabromodiphenyl Ether (HexaBDE)	NA
Heptabromodiphenyl Ether (HeptaBDE)	NA
Octabromodiphenyl Ether (OctaBDE)	NA
Nonabromodiphenyl Ether (NonaBDE)	NA
Decabromodiphenyl Ether (DecaBDE)	NA

Remarks :ppm=Parts per million based on dry weight of sample $\mu g/cm^2 = Microgram$ per square centimetre mg/kg with 50 cm²=Milligram per kilogram with 50 square centimetre ND =Not detected NA =Not applicable NR =Not requested





Page 3 of 5

TEST REPORT

REPORT : TURT190100427

TESTING ITEM	RESULT
	Sample 1
	Part
Phthalates	
Dibutyl phthalate (DBP)(84-74-2)	ND
Di(2-ethylhexyl) phthalate (DEHP)(117-81-7)	ND
Benzyl butyl phthalate (BBP)(85-68-7)	ND
Diisobutyl Phthalate (DIBP)(84-69-5)	ND

Remarks :ppm=Parts per million based on dry weight of sample $\mu g/cm^2 = Microgram$ per square centimetre mg/kg with 50 cm²=Milligram per kilogram with 50 square centimetre ND =Not detected NA =Not applicable NR =Not requested





REPORT : TURT190100427

Page 4 of 5

SUBSTANCE	LIMITS	
Cadmium (Cd) Content	0.01 % (100 ppm)	
Chromium VI (Cr+6) Content (ppm) (for non metal)	0.1 % (1000 ppm)	
Chromium VI	<u>Colorimetric</u> <u>result</u>	<u>Qualitative</u> <u>Result</u>
(Cr+6) Content (µg/cm²) (for metal)	< 0.10 µg/cm²	Negative
	\geq 0.10 µg/cm ² and \leq 0.13 µg/cm ²	Inconclusive
	> 0.13 µg/cm²	Positive
Lead (Pb) Content	0.1 % (1000 ppm)	
Mercury (Hg) Content	0.1 % (1000 ppm)	
Flame Retardants	0.1 % (1000 ppm)	
Dibutyl Phthalate (DBP)	0.1 % (1000 ppm)	
Diethyl Hexyl Phthalate (DEHP)	0.1 % (1000 ppm)	
Benzyl Butyl Phthalate (BBP)	0.1 % (1000 ppm)	
Diisobutyl Phthalate (DIBP)	0.1 % (1000 ppm)	





REPORT : TURT190100427 Page 5 of 5

(C) TEST METHOD :

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd)Content	With reference to IEC 62321-5:2013, by microwave or acid digestion and determined by ICP-OES	Plastic : 2.5 ppm, Metal : 5 ppm, Seramic : 1.25 ppm
Lead (Pb)Content	With reference to IEC 62321-5:2013, by microwave or acid digestion and determined by ICP-OES	Plastic : 5 ppm, Metal : 10 ppm, Seramic : 2.5 ppm
Mercury (Hg)Content	With reference to IEC 62321-4:2017, by microwave or acid digestion and determined by ICP-OES	Plastic : 5 ppm, Metal : 10 ppm, Seramic : 2.5 ppm
Chromium VI (Cr6+) (For non-metal)	With reference to IEC 62321-7-2:2017, by alkaline digestion and determined by UV-VIS spectrophotometer	Plastic: 25 ppm (PVC based) /8.33 ppm (other), Seramic: 8.33 ppm
Chromium VI (Cr6+) (For metal)	With reference to IEC 62321-7-1:2015, by boiling water extraction and determined by UV-VIS spectrophotometer	0.1 mg/kg with 50 cm ² (IN TESTING SOLUTION)
PBBs/PBDEs	With reference to IEC 62321-6:2015, by solvent extraction and determined by GC/MS and HPLC	5 ppm
Phthalates	With reference to IEC 62321-8 (111/321/CD), by solvent extraction and determined by GC-MS.	50 ppm





Page 1 of 5

REPORT NUMBER : TURT190050331

APPLICANT NAME : Leba San. Ürünl. İth. ve İhr. Paz. A.Ş.

GEPOSB Cumhuriyet Cad. 4053 Ada 20 Parsel No:5 ADDRESS :

Gebze/Kocaeli

Fax:0262 751 23 46Gebze Kocaeli / TÜRKİYE

TEL:0262 751 23 48 FAX:0262 751 23 46

Attention : Ali Kemal Kamer (alikemal@leba.com.tr)

SAMPLE DESCRIPTION: One sample of TBC Liquid item

19 March ,2019 (09:20:00) DATE IN :

22 March ,2019 DATE OUT :

REQUEST. RoHS Test was performed according to 2015/863/EU Directive.

RESULTS: See attachment

		CONCLUSION
PART	DESCRIPTION	
Sample 1	Sample	Pass

Testing reports without signature are not valid

Testing reports without signature are not valid
This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms. Testing reports without signature are not valid. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory. are not included in the TÜRKAK accreditation schedule for this laboratory.

Merve AYDOGAN **Customer Care Executive**

Zeynep AKIN Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL

Phone: +90 212 496 46 46 Fax: +90 212 452 80 55

e-mail: intertekcg.turkiye@intertek.com http://www.intertek-turkey.com

190050331





REPORT : TURT190050331 Page 2 of 5

(A) TEST RESULT SUMMARY ACCORDING TO IEC 62321 Electrotechnical Products-Determination of Levels of Six Regulated Substances

TESTING ITEM	RESULT
	Sample 1
	Part
Cadmium (Cd) Content	ND
Chromium VI (Cr+6) Content (ppm) (for non- metal)	ND
Chromium VI (Cr+6) Content (µg/cm²) (for metal)	NA
Lead (Pb) Content	ND
Mercury (Hg) Content	ND
Flame Retardants	
Polybrominated Biphenyls (PBB)	NA
Monobromobiphenyl (MonoBB)	NA
Dibromobiphenyl (DiBB)	NA
Tribromobiphenyl (TriBB)	NA
Tetrabromobiphenyl (TetraBB)	NA
Pentabromobiphenyl (PentaBB)	NA
Hexabromobiphenyl (HexaBB)	NA
Heptabromobiphenyl (HeptaBB)	NA
Octabromobiphenyl (OctaBB)	NA
Nonabromobiphenyl (NonaBB)	NA
Decabromobiphenyl (DecaBB)	NA
Polybrominated Diphenyl Ethers (PBDE)	NA
Monobromodiphenyl Ether (MonoBDE)	NA
Dibromodiphenyl Ether (DiBDE)	NA
Tribromodiphenyl Ether (TriBDE)	NA
Tetrabromodiphenyl Ether (TetraBDE)	NA
Pentabromodiphenyl Ether (PentaBDE)	NA
Hexabromodiphenyl Ether (HexaBDE)	NA
Heptabromodiphenyl Ether (HeptaBDE)	NA
Octabromodiphenyl Ether (OctaBDE)	NA
Nonabromodiphenyl Ether (NonaBDE)	NA
Decabromodiphenyl Ether (DecaBDE)	NA





REPORT : TURT190050331 Page 3 of 5

TESTING ITEM	RESULT
	Sample 1
	Part
Phthalates	
Dibutyl phthalate (DBP) (84-74-2)	ND
Di(2-ethylhexyl) phthalate (DEHP)(117-81-7)	ND
Benzyl butyl phthalate (BBP) (85-68-7)	ND
Diisobutyl Phthalate (DIBP)(84-69-5)	ND





REPORT : TURT190050331

Page 4 of 5

SUBSTANCE	LIMITS	
Cadmium (Cd) Content	0.01 % (100 ppm)	
Chromium VI (Cr+6) Content (ppm) (for non metal)	0.1 % (1000 ppm)	
Chromium VI	<u>Colorimetric</u> <u>result</u>	Qualitative Result
(Cr+6) Content (µg/cm²) (for metal)	< 0.10 μ g/cm ² \geq 0.10 μ g/cm ² and \leq 0.13 μ g/cm ²	Negative Inconclusive
Lead (Pb) Content	> 0.13 µg/cm ²	Positive
Mercury (Hg) Content	0.1 % (1000 ppm)	
Flame Retardants	0.1 % (1000 ppm)	
Dibutyl Phthalate (DBP)	0.1 % (1000 ppm)	
Diethyl Hexyl Phthalate (DEHP)	0.1 % (1000 ppm)	
Benzyl Butyl Phthalate (BBP)	0.1 % (1000 ppm)	
Diisobutyl Phthalate (DIBP)	0.1 % (1000 ppm)	





REPORT : TURT190050331 Page 5 of 5

(C) TEST METHOD :

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd)Content	With reference to IEC 62321-5:2013, by microwave or acid digestion and determined by ICP-OES	Plastic : 2.5 ppm, Metal : 5 ppm, Seramic : 1.25 ppm
Lead (Pb)Content	With reference to IEC 62321-5:2013, by microwave or acid digestion and determined by ICP-OES	Plastic : 5 ppm, Metal : 10 ppm, Seramic : 2.5 ppm
Mercury (Hg)Content	With reference to IEC 62321-4:2017, by microwave or acid digestion and determined by ICP-OES	Plastic : 5 ppm, Metal : 10 ppm, Seramic : 2.5 ppm
Chromium VI (Cr6+) (For non-metal)	With reference to IEC 62321-7-2:2017, by alkaline digestion and determined by UV-VIS spectrophotometer	Plastic: 25 ppm (PVC based) /8.33 ppm (other), Seramic: 8.33 ppm
Chromium VI (Cr6+) (For metal)	With reference to IEC 62321-7-1:2015, by boiling water extraction and determined by UV-VIS spectrophotometer	0.1 mg/kg with 50 cm ² (IN TESTING SOLUTION)
PBBs/PBDEs	With reference to IEC 62321-6:2015, by solvent extraction and determined by GC/MS and HPLC	5 ppm
Phthalates	With reference to IEC 62321-8 (111/321/CD), by solvent extraction and determined by GC-MS.	50 ppm





Page 1 of 5

REPORT NUMBER : TURT190049231

APPLICANT NAME : Leba San. Ürünl. İth. ve İhr. Paz. A.Ş.

GEPOSB Cumhuriyet Cad. 4053 Ada 20 Parsel No:5 ADDRESS :

Gebze/Kocaeli

Fax:0262 751 23 46Gebze Kocaeli / TÜRKİYE

TEL:0262 751 23 48 FAX:0262 751 23 46

Attention : Ali Kemal Kamer,İlke Günşili

(alikemal@leba.com.tr;ilke@leba.com.tr)

SAMPLE DESCRIPTION : One sample of LB MOLL A Liquid item

19 March ,2019 (08:52:00) DATE IN :

DATE OUT : 22 March ,2019

REOUEST. RoHS Test was performed according to 2015/863/EU Directive.

RESULTS: See attachment

		CONCLUSION
PART	DESCRIPTION	
Sample 1	Sample	Pass

Testing reports without signature are not valid
This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms. Testing reports without signature are not valid. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.

Merve AYDOGAN **Customer Care Executive** Zeynep AKIN

Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL

Phone: +90 212 496 46 46 Fax: +90 212 452 80 55

e-mail: intertekcg.turkiye@intertek.com http://www.intertek-turkey.com

190049231





REPORT : TURT190049231 Page 2 of 5

(A) TEST RESULT SUMMARY ACCORDING TO IEC 62321 Electrotechnical Products-Determination of Levels of Six Regulated Substances

TESTING ITEM	RESULT
	Sample 1
	Part
Cadmium (Cd) Content	ND
Chromium VI (Cr+6) Content (ppm) (for non- metal)	ND
Chromium VI (Cr+6) Content (µg/cm²) (for metal)	NA
Lead (Pb) Content	ND
Mercury (Hg) Content	ND
Flame Retardants	
Polybrominated Biphenyls (PBB)	NA
Monobromobiphenyl (MonoBB)	NA
Dibromobiphenyl (DiBB)	NA
Tribromobiphenyl (TriBB)	NA
Tetrabromobiphenyl (TetraBB)	NA
Pentabromobiphenyl (PentaBB)	NA
Hexabromobiphenyl (HexaBB)	NA
Heptabromobiphenyl (HeptaBB)	NA
Octabromobiphenyl (OctaBB)	NA
Nonabromobiphenyl (NonaBB)	NA
Decabromobiphenyl (DecaBB)	NA
Polybrominated Diphenyl Ethers (PBDE)	NA
Monobromodiphenyl Ether (MonoBDE)	NA
Dibromodiphenyl Ether (DiBDE)	NA
Tribromodiphenyl Ether (TriBDE)	NA
Tetrabromodiphenyl Ether (TetraBDE)	NA
Pentabromodiphenyl Ether (PentaBDE)	NA
Hexabromodiphenyl Ether (HexaBDE)	NA
Heptabromodiphenyl Ether (HeptaBDE)	NA
Octabromodiphenyl Ether (OctaBDE)	NA
Nonabromodiphenyl Ether (NonaBDE)	NA
Decabromodiphenyl Ether (DecaBDE)	NA





REPORT : TURT190049231 Page 3 of 5

TESTING ITEM	RESULT
	Sample 1
	Part
Phthalates	
Dibutyl phthalate (DBP) (84-74-2)	ND
Di(2-ethylhexyl) phthalate (DEHP)(117-81-7)	ND
Benzyl butyl phthalate (BBP) (85-68-7)	ND
Diisobutyl Phthalate (DIBP) (84-69-5)	ND





REPORT : TURT190049231 Page 4 of 5

SUBSTANCE	LIMITS		
Cadmium (Cd) Content	0.01 % (100 ppm)		
Chromium VI (Cr+6) Content (ppm) (for non metal)	0.1 % (1000 ppm)		
Chromium VI	<u>Colorimetric</u> <u>result</u>	<u>Qualitative</u> <u>Result</u>	
(Cr+6) Content (µg/cm²) (for metal)	< 0.10 $\mu g/cm^2$ \geq 0.10 $\mu g/cm^2$ and \leq 0.13 $\mu g/cm^2$	Negative Inconclusive	
Lead (Pb) Content	> 0.13 µg/cm ²	Positive	
Mercury (Hg) Content	0.1 % (1000 ppm)		
Flame Retardants	0.1 % (1000 ppm)		
Dibutyl Phthalate (DBP)	0.1 % (1000 ppm)		
Diethyl Hexyl Phthalate (DEHP)	0.1 % (1000 ppm)		
Benzyl Butyl Phthalate (BBP)	0.1 % (1000 ppm)		
Diisobutyl Phthalate (DIBP)	0.1 % (1000 ppm)		





REPORT : TURT190049231 Page 5 of 5

(C) TEST METHOD :

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd)Content	With reference to IEC 62321-5:2013, by microwave or acid digestion and determined by ICP-OES	Plastic : 2.5 ppm, Metal : 5 ppm, Seramic : 1.25 ppm
Lead (Pb)Content	With reference to IEC 62321-5:2013, by microwave or acid digestion and determined by ICP-OES	Plastic : 5 ppm, Metal : 10 ppm, Seramic : 2.5 ppm
Mercury (Hg)Content	With reference to IEC 62321-4:2017, by microwave or acid digestion and determined by ICP-OES	Plastic : 5 ppm, Metal : 10 ppm, Seramic : 2.5 ppm
Chromium VI (Cr6+) (For non-metal)	With reference to IEC 62321-7-2:2017, by alkaline digestion and determined by UV-VIS spectrophotometer	Plastic: 25 ppm (PVC based) /8.33 ppm (other), Seramic: 8.33 ppm
Chromium VI (Cr6+) (For metal)	With reference to IEC 62321-7- 1:2015 ,by boiling water extraction and determined by UV-VIS spectrophotometer	0.1 mg/kg with 50 cm ² (IN TESTING SOLUTION)
PBBs/PBDEs	With reference to IEC 62321-6:2015, by solvent extraction and determined by GC/MS and HPLC	5 ppm
Phthalates	With reference to IEC 62321-8 (111/321/CD), by solvent extraction and determined by GC-MS.	50 ppm